

▲ SF 400

Safety precautions

1. Electrical work must be performed by a qualified licensed electrician.
2. Disconnect or turn off power before installation or servicing.
3. Do not take apart or modify the product.
4. Do not drop the product or apply a strong impact to it.
5. The manufacturer or the seller do not bear liability for damage caused by inappropriate use or application.
6. Contact the manufacturer or the seller for inquiry when there is a problem with the product.

For luminaires with type Y attachments, the mounting instructions shall contain the substance of the following information for type Y attachments.

If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.

* The contents of this user guide is based on SUFA 400. The installation methods and tools are equal to SUFA 800.



User Guide

SF-Serie

LED Sports Flood Lighting


Product Dimension (SF 400W)

mm (inch)



Size : 320 x 640 x 292 (mm) / 12.6 x 25.2 x 11.5 (inch)
Weight (Driver included) : 14.5 Kg / 31.9 lb

AC Power Cable




User Guide

SF-Serie

LED Sports Flood Lighting


Product Dimension (SF 800W)

mm (inch)



Size : 640 x 640 x 292 (mm) / 25.2 x 25.2 x 11.5 (inch)
Weight (Driver included) : 25 Kg / 55.1 lb

AC Power Cable




User Guide

SF-Serie


LED Sports Flood Lighting

Bracket Dimension – Option (BK010050)

mm (inch)



mm (inch)
4 Kg (8.82 lb)




User Guide

SF-Serie

LED Sports Flood Lighting


Installation Instruction

1



Mounting bracket (BK010050) not provided. / To be sold separately.


2




M12 screw not provided.

Installation Instruction

3



4



Connect the AC Cable to the main power supply by using a connector. (Refer to "AC Power Cable")